

BIBLIOGRAFIA

- Albaina A., Irigoien X. 2004. Relationships between frontal structures and zooplankton communities along a cross-shelf transect in the Bay of Biscay (1995 to 2003). *Marine Ecology Progress Series* 284, 65-75.
- ARPAL. Controllo quali-quantitativo della presenza di sostanze pericolose individuate dal DM 367/03 nelle acque superficiali interne e costiere. 2008: 1-185.
- ARPA Puglia. Monitoraggio dell'accumulo di composti chimici nel biota delle acque marino-costiere e di transizione della Regione Puglia. Relazione intermedia di monitoraggio, 2008.
- Ballesteros E., 1989. Production of seaweeds in Northwestern Mediterranean marine communities: its relation with environmental factors. *Scientia Marina* 53, 357-364.
- Ballesteros E., 1991. Structure and dynamics of North-western Mediterranean marine communities: a conceptual model. *Oecologia Aquatica* 10, 223-242.
- Ballesteros E., Torras X., Pinedo S., García M., Mangialajo L., Torres de M., 2007. A new methodology based on littoral community cartography for the implementation of the European Water Framework Directive. *Marine Pollution Bulletin* 55, 172-180.
- Belmonte G. & Grasso M. Dati preliminari sulla presenza di metalli pesanti in alcuni Bivalvi presenti a Porto Cesareo (Mar Jonio). *Thalassia Salentina* 16.1986:59-63.
- Calbet A., Garrido S., Saiz E., Alcaraz M., Duarte C.M. 2001. Annual zooplankton succession in coastal NW Mediterranean waters: the importance of the smaller size fractions. *Journal of Plankton Research* 23, 319-331.
- Carlotti F., Harris R. 2007. The biology and ecology of *Centropages typicus*: An introduction. *Progress in Oceanography* 72(2-3), 117-120.



- Carpenter K.E., Johnson J.M. & Buchanan C. (2006). An index of biotic integrity based on the summer polyhaline zooplankton community of the Chesapeake Bay. *Marine Environmental Research*.
- Cattaneo Vietti R., Danovaro R., Della Croce N. (2005). "Ecologia e protezione dell'ambiente marino costiero" Ed.Utet
- Daly Yahia M.N., Souissi S., Daly Yahia-Kéfi O. 2004. Spatial and Temporal Structure of Planktonic Copepods in the Bay of Tunis (Southwestern Mediterranean Sea). *Zoological Studies* 43(2): 366-375.
- Di Capua I., Mazzocchi M.G. 2004. Population structure of the copepods *Centropages typicus* and *Temora stylifera* in different environmental conditions. *ICES J. Mar. Sci.* 61, 632-644.
- Falk-Petersen, S., Pedersen, G., Kwasniewski, S., Hegseth, E.N., Hop, H., 1999. Spatial distribution and life-cycle timing of zooplankton in the marginal ice zone of the Barents Sea during the summer melt season in 1995. *Journal of Plankton Research* 21, 1249-1264.
- FAO/WHO. Evaluation of Certain food additives and contaminants. Thirty-fifth Report of the Joint FAO/WHO Expert Committee on Food Additives. *Technical Report Series. Geneva: WHO*, 1990; vol 789:1-50
- Ferrara Fulvio & Enzo Funari. Rischio chimico associato alla qualità delle acque del mare Adriatico. *Rapporti ISTISAN* 2004; 04/4: 1-158.
- Fransz H.G., Gonzalez S.R. 1995. The production of *Oithona similis* (Copepoda: Cyclopoida) in the southern Ocean. *Journal of Marine Science* 52, 549-555.
- Gaudy R. 1984. Biological cycle of *Centropages typicus* in the North Western Mediterranean neritic-waters. *Crustaceana Suppl.* 7, 200-213.
- Gaudy R., Youssara F., Diaz F., Raimbau P. 2003. Biomass, metabolism and nutrition of zooplankton in the Gulf of Lions (NW Mediterranean). *Oceanologica Acta* 26, 357-372.



- Gaughan D.J., Potter I.C., 1995. Composition, distribution and seasonal abundance of zooplankton in a shallow, seasonally closed estuary in temperate Australia. *Estuarine, Coastal and Shelf Science* 41, 117-135.
- Greenpeace. Uso, distribuzione, rischio e regolamentazione di cinque gruppi chiave di inquinanti chimici oggetto d'indagine. *Greenpeace italia*, 2003: 1-25.
- Hansen F.C., Möllmann C., Schütz U., Hinrichsen H.H. 2004. Spatiotemporal distribution of *Oithona similis* in the Bornholm Basin (Central Baltic Sea). *Journal of Plankton Research* 26, 659-668.
- Hirche HJ. 1992. Egg production of *Eurytemora affinis* – Effect of k-strategy. *Estuarine Coastal and Shelf Science* 35, 395-407.
- Huggett J.A., Richardson A.J. 2000. A review of the biology and ecology of *Calanus agulhensis* of South Africa. *Journal of Marine Science* 57, 1834-1849.
- Huys R, GA Boxshall. 1991. Copepod evolution. London: The Ray Society.
- Koo J-W, Parham F, Kohn MC, Masten SA, Brock JW, Needham LL, et al.. The association between biomarker-based exposure estimates for phthalates and demographic factors in a human reference population. *Environmental Health Perspectives* 110. 2002:405-410.
- ICRAM. Metodiche analitiche di riferimento. Programma di Monitoraggio per il controllo dell'ambiente marino costiero (Triennio 2001-2003). *Ministero dell'Ambiente e della tutela del territorio – Servizio Difesa Mare*, Roma, 2001.
- Licandro P. (2004). Lo zooplancton nel monitoraggio marino costiero. *Biol.Mar. Medit.*, 11 (1): 87-92.
- Licandro P., Ibanez F. 2000. Changes of zooplankton communities in the Gulf of Tigullio (Ligurian Sea, Western Mediterranean) from 1985 to 19995. Influence of hydroclimatic factors. *J. Plankton Research* 22, 2225-2253.



- Licandro P., Misic C., Fabiano M. 2007. Dominio pelagico. Quaderni Habitat. Ministero dell'Ambiente e della Tutela del Territorio e del Mare, Museo Friulano di Storia del Mare. 155 pp.
- Lischka S., Hagen W. 2005. Life histories of the copepods *Pseudocalanus minutus*, *P. acuspes* (Calanoida) and *Oithona similis* (Cyclopoida) in the Arctic Kongsfjorden (Svalbard). *Polar Biology* 28 (12), 910-921.
- Mackas, D.L., Beaugrand, G., 2009. Comparisons of zooplankton time series, *Journal of Marine Systems*, doi:10.1016/j.jmarsys.2008.11.030.
- Mangialajo L., 2005. Lo studio dei popolamenti delle scogliere superficiali nella gestione della fascia costiera. Tesi di Dottorato, Università degli Studi di Genova: 120 pp.
- Mangialajo L., Chiantore C., Cattaneo-Vietti R., 2008 - Loss of furoid algae along a gradient of urbanisation and relationships with the structure of benthic assemblages. *Marine Ecology Progress Series* 358: 63–74.
- Mangialajo L., Ruggieri N., Asnaghi V., Chiantore M., Povero P., Cattaneo-Vietti R., 2007. Ecological status in the Ligurian Sea: the effect of coastline urbanisation and the importance of proper reference sites. *Marine Pollution Bulletin* 55, 30-41.
- Mayer, F.L., Stalling, D.L. & Johnson, J.L.) Phthalate esters as environmental contaminants. *Nature* 238. 1972: 411-413
- Marazzo A., Valentin J. L. 2003. *Penilia avirostris* (Crustacea, Ctenopoda) in a tropical bay: variations in density and aspects of reproduction. *Acta Oecologica* 24, S251–S257.
- Mauchline J. 1998. The biology of calanoid copepods. *Adv. Mar. Biol.* 33: 1-170.
- Mazzocchi M.G. e Ribera d'Alcalá M. 1995. Recurrent patterns in zooplankton structure and succession in a variable coastal environment. *ICES Journal of Marine Science* 52, 679-691.
- Mazzocchi M.G., Christou E.D., Di Capua I., Fernández de Puellas M.L., Fonda-Umani S., Molinero J.C., Nival P., Siokou-Frangou I. 2007. Temporal variability of *Centropages*



typicus in the Mediterranean Sea over seasonal-to-decadal scales. *Progress in Oceanography* 72(2-3), 214-232.

- Paffenhöfer G.A. 1993. On the ecology of marine cyclopoid copepods (Crustacea, Copepoda). *Journal of Plankton Research* 15, 37-55.
- Paffenhöfer G.A. 1998. On the relation of structure, perception and activity in marine planktonic copepods. *Journal of Marine Systems* 15, 457-473.
- Parsons TR, M Takahashi, B Hargrave. 1984. *Biological oceanographic processes*. 3rd ed. Oxford, UK: Pergamon Press.
- Pavoni B, Sfriso A, Raccanelli S. Quantification of PCBs in environmental samples: Comparison of results obtained with different analytical instruments (GC-ECD, GC-MS) and standards. *International Journal of Environmental Analytical Chemistry* 1991;44(1):11-20.
- Pergent G., C. Pergent-Martini, C.F. Boudouresque. Utilisation de l'herbier a *Posidonia oceanica* comme indicateur biologique de la qualité du milieu littoral en Méditerranée: état des connaissances. *Mésogée*, 1995; 54: 3-27.
- Peterson W.T., Keister J.E. 2002. The effect of a large cape on distribution patterns of coastal and oceanic copepods off Oregon and northern California during the 1998-1999 El Niño-La Niña. *Progress in Oceanography* 53, 389-411.
- Razouls C. 1974. Variations annuelles quantitatives de deux espèces dominantes de copepodes planctoniques *Centropages typicus* et *Temora stylifera* de la région de Banyuls: cycles biologiques et estimations de la production. III. – Dynamique des populations et calcul de leur production. *Cah. Biol. Mar.* 15, 51-88.
- Razouls C. & Durand J. 1991. Inventaire des copépodes planctoniques Méditerranéens. *Vie Milieu* 41, 73-77.
- Razouls C., de Bovée F., Kouwenberg J., Desreumaux N. 2006. Diversity and Geographic Distribution of Marine Planktonic Copepods. <http://copepodes.obs-banyuls.fr/en/index.php>.



- Torres-Sorando L.J., Zacarias D., Zoppi de Roa E., Rodríguez D.J. 2003. Population dynamics of *Oithona hebes*, (Copepoda: Cyclopoida) in a coastal estuarine lagoon of Venezuela: a stage-dependent matrix growth model. *Ecological Modelling* 161, 159-168.

- Turner J.T. 2004. The importance of small planktonic copepods and their roles in pelagic marine food webs. *Zoological Studies* 43, 255-266.

- Turrio-Baldassarri L, Di Domenico A, Fulgenzi AR, Iacovella N, La Rocca C. Differences in polychlorobiphenyl (PCB) contamination patterns in various environmental matrices. *The Science of the Total Environment* 1993;Suppl. 2:1439-51.

- UNEP. Monitoring programme of the eastern adriatic coastal area. *MAP Technical Report Series* n. 86. Athens. 1994.

- UNEP. State of the marine and coastal environment in the Mediterranean region. *MAP Technical Report Series* n. 100. Athens: 1996.

- UNEP. State of the Mediterranean marine environment, MAP Technical Report Series n.28. Athens: 1989.

- Widdows J, Nasci C, Fossato VU. Effects of pollution on the scope for growth of mussels (*Mytilus galloprovincialis*) from the Venice Lagoon, Italy. *Marine Environmental Research* 1997;43(1-2):69-79.



RIFERIMENTI NORMATIVI

- Decreto Legislativo 3 aprile 2006, n. 152 "Norme in materia ambientale".
- Regolamento (CE) N. 1881/2006 della Commissione del 19 dicembre 2006 che definisce i tenori massimi di alcuni contaminanti nei prodotti alimentari.
- Decreto 16 giugno 2008 n.131 "Regolamento recante i criteri tecnici per la caratterizzazione dei corpi idrici (tipizzazione, individuazione dei corpi idrici, analisi delle pressioni) per la modifica delle norme tecniche del Decreto Legislativo 152/06, recante "Norme in materia ambientale", predisposto ai sensi dell'art.75 comma 4, dello stesso legislativo".
- Decreto 14 aprile 2009 n.56 Regolamento recante «Criteri tecnici per il monitoraggio dei corpi idrici e l'identificazione delle condizioni di riferimento per la modifica delle norme tecniche del decreto legislativo 3 aprile 2006, n. 152, recante Norme in materia ambientale, predisposto ai sensi dell'articolo 75, comma 3, del decreto legislativo medesimo».
- Bozza del Regolamento recante "Criteri tecnici per la classificazione dello stato dei corpi idrici superficiali, per la modifica delle norme tecniche del Decreto Legislativo 152/06, recante "Norme in materia ambientale", predisposto ai sensi dell'articolo 75 comma 3, del medesimo decreto legislativo" (versione 28/12/2009).

